According to 1907/2006/EG **Series 10-03432**

Date of issue / revised : 12-06-2008 Page 1 of 4

No.:

00367/RG/e

1.	IDENTIFICATION OF SUBSTANCE, PREPARATION AND COMPANY							
	TRADE NA	AME	SERIES 10-03432					
	INTENDED USE		SPECIAL RETARDER FOR PRINTING INKS					
	MANUFACTURER INFORMATION EMERGENCY INFORMATION		PRINTCOLOR SCREEN LTD. CH-8965 BERIKON TEL ++41-(0)56-648 85 85 FAX ++41-(0)56-648 85 00 E-Mail Info@printcolor.ch HSE-Department TELEPHONE NUMBER ++41-(0)44-251 51 51					
2.	HAZARDS IDENTIFICATION							
	DANGER SIGN SPECIAL DANGER FOR PERSONS AN ENVIRONMENT		XI, Irritant Ilrritating to eyes, respiratory system and skin					
3.	COMPOSITION / INFORMATION ON INGREDIENTS							
	2.1 CHEMICAL CHARACTERISTICS OF PRODUCT: MIXTURE OF SOLVENTS 2.2 SUBSTANCES PRESENTING A HEALTH HAZARD WITHIN THE MEANING OF GUIDE-LINES NO.67/548/EC OR ASSIGNED OCCUPATIONAL EXPOSURE LIMITS							
	CAS-No	DESIGNAT	ON ACCORDING TO EC GUIDE-LINES	CONCENTRATION WEIGHT-%	DANGERSYMBOL LETTER	R-PHRASES (*)		
	124-17-4	2-Витнох	YETHYLESTER	> 75	XI	36/37/38		
	(*) CLEAR TEXT OF	∣ F R-PHRASE	ES SEE SECTION 15 AND 16					
4.	FIRST AID MI	EASURES						
	GENERAL In all cases of doubt or if symptoms persist, take medical advice. Never give anyt by mouth to an unconscious person; call a physican. Immediately remove contaminated clothing.							
	INHALATION		Remove to fresh air, keep the patient warm and at rest. If breathing has stoppe administer artificial respiration. Give nothing ba mouth. If unconscious, place in the recovery position and seek medical advice.					
	SKIN CONTACT		Remove contaminated clothing. Wash skin thoroughly with soap and water or use a proprietary skincleaner. DO NOT USE SOLVENTS OR THINNER.					
	EYE CONTACT		Contact lenses should be removed. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart, and seek medical advice.					
	INGESTION		If accidentally swaalowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.					
5.	FIRE FIGHTIN	IG MEAS	URES					
	EXTINGUISHING N		Alcohol resistant foam, CO ₂ , powd	er, water spray/mi	st			
	EXTINGUISHING NOT SUITABLE	VIEDIA	Waterjet					
	SPECIAL PROTEC	CTION	Appropiate breathing apparatus m	ay be required				
	RECOMMENDATION	ONS	Fire will produce dense black smoke containing hazardous products of combustion (see Section 10). Decomposition products may be a hazard to health. Appropriate self-contained breathing apparatus may be required. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighthing to enter drains or water courses.					

SDS/EGSI01/03-99/DH / Rev. 2008 page 1

According to 1907/2006/EG **Series 10-03432**

Date of issue / revised : 12-06-2008 Page 2 of 4

No.:

00367/RG/e

6.	ACCIDENTAL	RELEAS	E MEASURES					
	PERSONAL PREC	AUTIONS	Exclude sources of ignition and ventilate t Avoid breathing vapours. Refer to protective					
	ENVIRONMENTAL PRECAUTIONS		Do not allow to enter drains or water courses. If the product contaminates rivers, lakes and drains or soil, inform the responsible local authorities.					
	METHODS FOR COUP / COLLECTING		Contain and collect spillages with non-co earth, vermiculite, diatomaceous earth and accordance with the waste regulations (see	place in a suitable container for d				
7.	HANDLING AND STORAGE							
	HANDLING							
	INFORMATION FO		Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentrations exceeding the occupational exposure limits. Moreover, the product should only be used in areas which have been cleared from direct light, fire and other sources of ignition. The product may charge itself electrostatically. Electrical equipment should be protected properly. When pouring the product into other containers, only ground mains should be used. It is recommended to wear antistatic clothing and foot wear. Use spark-proof tools. Avoid any contact with eyes or skin. Smoking, eating and drinking should be prohibited in areas of storage and use. For personal protection see Section 8. Follow legal protective and safety instructions.					
	PROTECTION AGAINST EXPLOSIONS AND FIRES Vapours are heavier than air and may sread along floors. They may form exp mixtures in combination with air. Preparations may charge electrostatically: A use earthing leads when transferring from one container to another.							
					7. Always			
	STORAGE							
	REQUIREMENTS F STORAGE ROOMS CONTAINERS							
	ADVICE FOR COM STORAGE	MBINED	Store seperately from strong acid and alkaline materials as well as from oxid agents.					
	FURTHER ADVICE STORAGE	E FOR	Store at a cool and well ventilated place. Avoid heating and direct sunlight. Keep awa from flammable matters and observe instructions on the labels. Always keep i containers of same material as the original one.					
8.	EXPOSURE C	ONTROL	/ Personel Protection					
	Engineering Measures							
	Provide adequate ventilation. Where reasonably practicable this should be achieved by use of local exhaust ventilal and good general extration. If these are not sufficient to maintain concentrations of particulates and/or solvent vap below the relevant occupational exposure limits, suitable respiratory protective equipment should be worn. (Personal protection' below).							
	COMPONENTS WIT		VALUES THAT REQUIRE MONITORING AT T	HE WORKPLACE (EXPOSURE LIM	ITS)			
	CAS-No.		ATION ACCORDING TO EC GUIDE-LINES	OCCUPATIONAL EXPOSURE LIMITS	UNIT			
	124-17-4	2-Buthox	YETHYLESTER	85	mg/m3			

The above values have been taken from the valid list (f.e.TRGS 900) of the Federal Republic of Germany or from the Regulations of

SDS/EGSI01/03-99/DH / Rev. 2008

SUVA/Switzerland regarding occupational exposure limits.

According to 1907/2006/EG **Series 10-03432**

Date of issue / revised : 12-06-2008 Page 3 of 4

PERSONAL PROTECTION

RESPIRATORY PROTECTION If the solvent vapour concentration exceed the exposure limits, the use of breathing

apparatus is practical or necessary (breathing protection measures)

SKIN PROTECTION Use protective gloves, e.g. Neoprene. At lasting or repeated contact of the product

with the skin, use protecting emulsions. Observe recommendations of the manufacturer. After washing hands replace lost skin fat by fat containing skin creams

No.:

00367/RG/e

EYE PROTECTION Safety glasses as protection against splashes of solvents should be worn.

BODY PROTECTION Cotton or cotton/synthetic overalls or coveralls are normally suitable. Personal should

wear antistatic clothings made of natural fiber or of high temperature resistant

synthetic fiber. All parts of body should be washed after contact.

9. Physical and Chemical Properties

Form liquid Color transparent

Odour specific, like solvents

Value Unit Method

Boiling point> 240 °CFlash point> 100 °C

Viscosityapp.25mPas $(23 \, ^{\circ}\mathbb{C})$ Density0.98g/cm³ $(23 \, ^{\circ}\mathbb{C})$ pH-Valuen.a.

Content of colvent

Content of solvent 100 Weight-%

Explosion limit Lower 0.8 Upper 5,3 Vol.-% (solvent)

Solubility in water 65 g/L at 20 °C

10. STABILITY AND REACTIVITY

STABILITY Stable under the recommended storage and handling conditions (see Section 7).

CONDITIONS TO AVOID Keep away from oxidising agents and strongly alkaline and strongly acids to prevent

the possibility of exothermic reaction.

DANGEROUS PRODUCTS OF In a fire, hazardous decomposition products such as smoke, carbon monoxide, carbon

DECOMPOSITION dioxide and oxides of nitrogen may be produce.

11. TOXICOLOGICAL INFORMATION

There is no data available on the product itself. It is formulated within the SBPIM's guidelines on materials for exclusion from printing inks and varnishes. Exposure to organic solvent vapours may result in adverse health effects such as irritation of the mucous membrane and the respiratory system and adverse effects on the rental and central nervous systems. Symptoms include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme casas loss of consciousness. Repeated or prolonged contact with the product may lead to removal of natural fats from the skin resulting in non-allergic contact dermatitis and absorption through the skin. Splashes in the eyes may cause irritation and reversible local damage.

12. ECOLOGICAL INFORMATION

There is no data available on the product itself. The product should not be allowed to enter drains or water courses or be deposited where it can affect ground or surface waters. The Air Pollution Control requirements of regulations made under the Environmental Protection Act may apply to the use of this product.

13. DISPOSAL CONSIDERATIONS

WASTE KEYS VeVA-code 070704 Country Switzerland

Waste key (acc.TA-Abfall) 070704 Country EU

PACKAGING The container and packaging materials are recycable according to the local prescriptions and

regulations

DO NOT ALLOW INTO DRAINS OR WATER COURSES OR DISPOSE OF WHERE GROUND OR SURFACE WATERS MAY BE AFFECTED. WASTES, INCLUDING EMPTIED CONTAINERS, ARE CONTROLLED WASTES AND SHOULD BE DISPOSED OF IN ACCORDANCE WITH REGULATIONS MADE UNDER THE CONTROL OF POLLUTION ACT AND THE ENVIRONMENTAL PROTECTION ACT.

SDS/EGSI01/03-99/DH / Rev. 2008 page 3

According to 1907/2006/EG **Series 10-03432**

Date of issue / revised : 12-06-2008

No.: 00367/RG/e

Page 4 of 4

14	TRANSPORT INFO	RMATIONS							
• ••	Declarations according to the transport regulations for road (ADR), rail (RID), sea (IMO) and air (ICAO / IATA) transport. NOT RESTRICTED !!								
	LAND TRANSPORT	UN Number : Transp. Designations: Package group :	JN Number : ADR-Class ransp. Designations:						
	MARITIME TRANSPORT	UN Number : Transp. Designations		-Class	E	mS-N	lr.		
		Package group Marine pollutant	War						
	AIR TRANSPORT	UN Number : Transp.Designations	IATA	VICAO-Clas	SS				
		Package group							
15.	REGULATORY INFORMATION								
		ORDING TO EEC DIRECT	TIVES						
	DANGER SYMBOL DANGER DESIGNATION HAZARD DETERMINING								
	COMPONENTS OF LABELLING 2-BUTHOXYETHYLESTER								
	R-PHRASES 36/37/38 Irritating to eyes, respiratory system and skin								
	S-PHRASES 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advise							and	
	36	Wear suitable p	rotective clothi	ng					
		ORDING TO BAG (SWITZ	ZERLAND) AND						
	CH-SZID LUFTREINHALTEVERORD	NUNC I BV-class	1 %	2	See also label	3	100	%	
	IMMISSIONSSCHUTZ	TA-Luft	l %	II				%	
	BRANDSCHUTZ			BVD-class	N.E.			, •	
	WASSERHAUSHALT	· · · · · · · · · · · · · · · · · · ·	ssessment)	1					
		ED IN THIS SAFETY DATA SHEET							
		ER HEALTH AND SAFETY LEGISLA ICES HAZARDOUS TO HEALTH F			_		-	ETC. ACT	
16.	OTHER INFORMAT		ILGULATIONS APP	LI TO THE USE	OF THIS PRODUC	71 A I V	ORK.		
-0.									
	See Section 15, R-Phra	<u>ases</u>							

THE INFORMATION CONTAINED IN THIS SAFETY DATA SHEET IS PROVIDED IN ACCORDANCE WITH THE REQUIREMENTS OF THE CHIP REGULATIONS. THE PRODUCT SHOULD NOT BE USED FOR PURPOSES OTHER THAN THOSE SHOWN IN SECTION 1 WITHOUT FIRST REFERRING TO THE SUPPLIER AND OBTAINING WRITTEN HANDLING INSTRUCTIONS. AS THE SPECIFIC CONDITIONS OF USE OF THE PRODUCT ARE OUTSIDE THE SUPPLIER'S CONTROL, THE USER IS RESPONSIBLE FOR ENSURING THAT THE REQUIREMENTS OF RELEVANT LEGISLATION ARE COMPLIED WITH. THE INFORMATION CONTAINED IN THIS SAFETY DATA SHEET IS BASED ON THE PRESENT STATE OF KNOWLEDGE AND CURRENT NATIONAL LEGISLATION. IT PROVIDES GUIDANCE ON HEALTH, SAFETY AND ENVIRONMENTAL ASPECTS OF THE PRODUCT AND SHOULD NOT BE CONSTRUED AS ANY GUARANTEE OF TECHNICAL PERFORMANCE OR SUITABILITY FOR PARTICULAR APPLICATIONS.

Irritating to eyes, respiratory system and skin

MSDS-Information: HSE-Department, Richard Gähwiler, richard.gaehwiler@printcolor.ch

36/37/38